

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|---------------------|
| L1 | 577 | (712/207).CCLS. | US_PGPUB; USPAT; USOCR | OR | OFF | 2008/11/13 18:15 |
| L2 | 327 | (712/237).CCLS. | US_PGPUB; USPAT; USOCR | OR | OFF | 2008/11/13 18:15 |
| L3 | 244 | (712/238).CCLS. | US_PGPUB; USPAT; USOCR | OR | OFF | 2008/11/13 18:15 |
| L4 | 25 | (target near4 buffer) near4 (entr\$3 near4 address\$3) near4 branch\$3 near4 (speculat\$6 or predict\$3) | US_PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/13 18:16 |
| L5 | 28 | ((target same buffer) same (entr\$3 same address\$3) same branch\$3 same (speculat\$6 or predict\$3)) | FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/13 18:16 |
| L6 | 14 | (stream with buffer\$3) same (code with region\$1) | US_PGPUB; USPAT | OR | OFF | 2008/11/13 18:16 |
| L7 | 0 | (branch near4 buffer\$3) with (map\$3 near4 (region \$1 or block\$1) near4 entr \$3) | FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/13 18:17 |
| L8 | 0 | (branch near4 buffer\$3) with (map\$3 with (region\$1 or block\$1) with entr\$3) | FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/13 18:17 |
| L9 | 0 | (branch with buffer\$3) with (map\$3 with (region\$1 or block\$1) with entr\$3) | FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/13 18:17 |
| L10 | 0 | (branch with buffer\$3) same (map\$3 with (region\$1 or block\$1) with entr\$3) | FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/13 18:17 |
| L11 | 0 | (branch with buffer\$3) same (map\$3 same (region\$1 or block\$1) with entr\$3) | FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/13 18:17 |
| L12 | 2 | (branch near4 buffer\$3) with (map\$3 near4 (region \$1 or block\$1) near4 entr \$3) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/13 18:17 |

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| L13 | 2 | (branch near4 buffer\$3) with (map\$3 with (region\$1 or block\$1) with entr\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/13 18:18 |
| L14 | 2 | (branch with buffer\$3) with (map\$3 with (region\$1 or block\$1) with entr\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/13 18:18 |
| L15 | 2 | (branch with buffer\$3) same (map\$3 with (region\$1 or block\$1) with entr\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/13 18:18 |
| L16 | 11 | (branch with buffer\$3) same (map\$3 same (region\$1 or block\$1) same entr\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/13 18:18 |
| L17 | 2 | ((branch with buffer\$3) same (map\$3 same (region \$1 or block\$1) same entr \$3)).clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/13 18:19 |
| L18 | 2 | ((branch with buffer\$3) and (map\$3 same (region\$1 or block\$1) same entr\$3)).clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/13 18:19 |
| L19 | 3 | ((branch with target) and (map\$3 same (region\$1 or block\$1) same entr\$3)).clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/13 18:20 |
| L20 | 3 | ((branch same target) and (map\$3 same (region\$1 or block\$1) same entr\$3)).clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/13 18:20 |

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| L21 | 23 | ((branch same target) and ((map\$5 or associat\$6 or referenc\$6) same (region\$1 or block\$1) same entr\$3)). clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/13 18:20 |
| L22 | 12 | ((branch same target) same ((map\$5 or associat\$6 or referenc\$6) same (region\$1 or block\$1) same entr\$3)). clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/13 18:21 |
| L23 | 2 | ((WANG-HONG\$) and (KLING-RALPH\$) and (GROCHOWSKI-EDWARD\$) and (PAMAKRISHNAN-KALPANA\$))".in. " | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/11/13 18:22 |
| S1 | 38 | (branch adj1 target adj1 buffer) and (branch adj1 predictor) | USPAT | OR | OFF | 2006/11/14 14:37 |
| S2 | 19 | (US-5506976-\$ or US-5442756-\$ or US-5434986-\$ or US-5386519-\$ or US-5327536-\$ or US-5163140-\$ or US-6253316-\$ or US-5931944-\$ or US-5721855-\$ or US-5842008-\$ or US-5764940-\$ or US-5742804-\$ or US-5692168-\$ or US-5642493-\$ or US-5592636-\$ or US-5287467-\$ or US-5142634-\$ or US-5136697-\$ or US-5050068-\$) .did. | USPAT | OR | OFF | 2002/10/29 09:07 |
| S3 | 0 | (color adj1 field) near4 branch\$4 | USPAT | OR | OFF | 2002/10/29 09:08 |
| S4 | 1 | (color adj1 information) near4 branch\$4 | USPAT | OR | OFF | 2002/10/29 09:08 |
| S5 | 0 | color near4 (branch\$4 adj1 predict\$4) | USPAT | OR | OFF | 2002/10/29 09:09 |
| S6 | 910 | color near4 branch\$4 | USPAT | OR | OFF | 2002/10/29 09:09 |
| S7 | 375 | color near4 tag | USPAT | OR | OFF | 2002/10/29 09:10 |
| S8 | 0 | (color adj1 tag) near4 branch\$4 | USPAT | OR | OFF | 2002/10/29 09:10 |
| S9 | 11 | (color adj1 tag) and branch\$4 | USPAT | OR | OFF | 2002/10/29 09:11 |
| S10 | 57 | (color) and (branch\$4 near4 cache) | USPAT | OR | OFF | 2002/10/29 09:12 |

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S11 | 2 | (color\$4 adj1 field) near4 instructions | USPAT | OR | OFF | 2002/10/29 09:26 |
| S12 | 1 | ("5506976").PN. | USPAT; USOCR | OR | OFF | 2002/10/29 09:39 |
| S13 | 1 | ("5515518").PN. | USPAT; USOCR | OR | OFF | 2002/10/29 09:43 |
| S14 | 1 | ("5742804").PN. | USPAT; USOCR | OR | OFF | 2002/10/29 09:46 |
| S15 | 1 | ("5764940").PN. | USPAT; USOCR | OR | OFF | 2002/10/29 09:47 |
| S16 | 6 | ((("5506976") or ("5742804") or ("5515518") or ("5412799") or ("5764940") or ("5163140"))).PN. | USPAT; USOCR | OR | OFF | 2002/10/29 12:40 |
| S17 | 132 | (712/238).CCLS. | USPAT; USOCR | OR | OFF | 2007/08/20 07:32 |
| S18 | 183 | (712/237).CCLS. | USPAT; USOCR | OR | OFF | 2007/08/20 07:32 |
| S19 | 293 | (712/207).CCLS. | USPAT; USOCR | OR | OFF | 2007/08/20 07:32 |
| S20 | 5 | (MEONSKE-TONIA)".xa" | USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2003/10/31 09:31 |
| S21 | 2 | ((("6601162") or ("6526503") or ("6651162")).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2003/11/14 08:57 |
| S22 | 6 | (US-5515518-\$ or US-5412799-\$ or US-5742804-\$ or US-5764940-\$ or US-5506976-\$ or US-5163140-\$).did. | USPAT | OR | OFF | 2003/11/14 08:56 |
| S23 | 12 | prefetch near4 (block adj1 instruction\$1) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2003/11/14 08:57 |
| S24 | 11 | prefetch same (block adj1 instruction\$1) same table\$1 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2003/11/14 09:04 |
| S25 | 1 | ("4,679,141").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2003/11/14 09:06 |

| | | | | | | |
|-----|------|--|---|----|-----|---------------------|
| S26 | 0 | (target adj1 lookahead) near4 (map\$4 or relat\$3 or correlat\$3 or translat\$3) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2003/11/14 09:07 |
| S27 | 0 | (target adj1 lookahead) same (map\$4 or relat\$3 or correlat\$3 or translat\$3) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2003/11/14 09:07 |
| S28 | 2 | (target near4 lookahead) same (map\$4 or relat\$3 or correlat\$3 or translat\$3) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2003/11/14 09:10 |
| S29 | 4301 | (entry near4 point) same (map\$4 or relat\$3 or correlat \$3 or translat\$3) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2003/11/14 09:38 |
| S30 | 969 | (entry adj1 points) same (map\$4 or relat\$3 or correlat \$3 or translat\$3) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2003/11/14 09:39 |
| S31 | 201 | (entry adj1 points) near4 (map\$4 or relat\$3 or correlat \$3 or translat\$3) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2003/11/14 11:52 |
| S32 | 74 | ((712/238).CCLS.) and @pd> = "20000306" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2003/12/04 11:45 |
| S33 | 110 | ((712/237).CCLS.) and @pd> = "20000306" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2003/12/04 12:24 |
| S34 | 157 | ((712/207).CCLS.) and @pd> = "20000306" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2003/12/04 12:24 |
| S35 | 59 | ((712/238).CCLS.) and @pd> = "20000306" | USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2003/12/04 12:25 |
| S36 | 99 | ((712/237).CCLS.) and @pd> = "20000306" | USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2003/12/04 12:25 |
| S37 | 129 | ((712/207).CCLS.) and @pd> = "20000306" | USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2003/12/04 12:25 |
| S38 | 83 | ((712/238).CCLS.) and @pd> = "20000306" | USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/09 16:33 |

| | | | | | | |
|-----|-----|--|------------------------------------|----|-----|------------------|
| S39 | 165 | ((712/237).CCLS.) and @pd> = "20000306" | USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/09 16:33 |
| S40 | 238 | ((712/207).CCLS.) and @pd> = "20000306" | USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/09 16:33 |
| S41 | 2 | (presbyopic near4 buffer) with entr\$3 with target\$5 near4 address\$3 | US_PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/09 16:35 |
| S42 | 250 | buffer with entr\$3 with target\$5 with address\$3 | US_PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/09 16:40 |
| S43 | 101 | (target near4 buffer) with (entr\$3 near4 address\$3) | US_PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/09 16:41 |
| S44 | 70 | (target near4 buffer) near4 (entr\$3 near4 address\$3) | US_PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/13 13:56 |
| S45 | 53 | (target near4 buffer) near4 (entr\$3 near4 address\$3) near4 branch\$3 | US_PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/13 13:57 |
| S46 | 21 | (target near4 buffer) near4 (entr\$3 near4 address\$3) near4 branch\$3 near4 (speculat\$6 or predict\$3) | US_PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/13 13:57 |
| S47 | 0 | (target near4 buffer) near4 (entr\$3 near4 address\$3) near4 branch\$3 near4 (presbyopic) | US_PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/13 13:50 |
| S48 | 2 | (target near4 buffer) near4 (presbyopic) | US_PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/13 13:56 |
| S49 | 2 | (Hong and Ralph and Grochowski and Ramakrishnan).in. | US_PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/13 13:52 |
| S50 | 4 | (Hong and Ralph and Grochowski).in. | US_PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/13 13:52 |
| S51 | 13 | (Hong and Grochowski).in. | US_PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/13 13:52 |

| | | | | | | |
|-----|----|---|---|----|-----|---------------------|
| S52 | 0 | stream near4 buffer\$3 near4 (code adj1 region\$1) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/13 13:53 |
| S53 | 2 | (stream near4 buffer\$3) with (code adj1 region\$1) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/13 13:54 |
| S54 | 2 | (stream near4 buffer\$3) with (code near4 region\$1) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/13 13:54 |
| S55 | 2 | (stream with buffer\$3) with (code near4 region\$1) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/13 13:54 |
| S56 | 9 | (stream with buffer\$3) with (code with region\$1) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/13 13:56 |
| S57 | 13 | (stream with buffer\$3) same (code with region\$1) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/13 13:59 |
| S59 | 0 | ((stream with buffer\$3) with (code with region\$1)).in. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/13 13:56 |
| S60 | 70 | (target near4 buffer) near4 (entr\$3 near4 address\$3) | US-PGPUB; USPAT | OR | OFF | 2006/11/13 13:56 |
| S61 | 53 | ((target near4 buffer) near4 (entr\$3 near4 address\$3) near4 branch\$3) | US-PGPUB; USPAT | OR | OFF | 2006/11/13 13:57 |
| S62 | 21 | ((target near4 buffer) near4 (entr\$3 near4 address\$3) near4 branch\$3 near4 (speculat\$6 or predict\$3)) | US-PGPUB; USPAT | OR | OFF | 2006/11/13 13:57 |
| S63 | 5 | ((target with buffer) with (entr\$3 with address\$3) with branch\$3 with (speculat \$6 or predict\$3)) | FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/13 13:58 |
| S64 | 28 | ((target same buffer) same (entr\$3 same address\$3) same branch\$3 same (speculat\$6 or predict\$3)) | FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/13 13:59 |
| S65 | 12 | (stream with buffer\$3) same (code with region\$1) | US-PGPUB; USPAT | OR | OFF | 2006/11/13 13:59 |
| S66 | 1 | (stream with buffer\$3) same (code with region\$1) | FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/13 14:00 |

| | | | | | | |
|-----|-----|--|--|----|-----|---------------------|
| S67 | 6 | (stream same buffer\$3) same (code same region\$1) | FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/13 14:00 |
| S68 | 1 | ("6732260").PN. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/14 11:56 |
| S69 | 1 | ("5,506,976").PN. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/14 14:37 |
| S70 | 2 | ((target near4 buffer) near4 (presbyopic)).clm. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/11/14 14:48 |
| S71 | 524 | (712/207).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/08/20 07:32 |
| S72 | 308 | (712/237).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/08/20 07:32 |
| S73 | 214 | (712/238).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/08/20 07:32 |
| S74 | 9 | (stream with buffer\$3) with (code with region\$1) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2007/08/20 07:32 |
| S75 | 14 | (stream with buffer\$3) same (code with region\$1) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2007/08/20 07:32 |
| S76 | 28 | ((target same buffer) same (entr\$3 same address\$3) same branch\$3 same (speculat\$6 or predict\$3)) | FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2007/08/20 07:33 |
| S77 | 384 | ((target same buffer) same (entr\$3 same address\$3) same branch\$3 same (speculat\$6 or predict\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2007/08/20 07:33 |
| S78 | 546 | (712/207).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/04/28 13:20 |
| S79 | 317 | (712/237).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/04/28 13:20 |

| | | | | | | |
|-----|-----|---|---|----|-----|---------------------|
| S80 | 232 | (712/238).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/04/28 13:21 |
| S81 | 9 | (stream with buffer\$3) with (code with region\$1) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2008/04/28 13:21 |
| S82 | 14 | (stream with buffer\$3) same (code with region\$1) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2008/04/28 13:21 |
| S83 | 28 | ((target same buffer) same (entr\$3 same address\$3) same branch\$3 same (speculat\$6 or predict\$3)) | FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/04/28 13:21 |
| S84 | 22 | ((target near4 buffer) near4 (entr\$3 near4 address\$3) near4 branch\$3 near4 (speculat\$6 or predict\$3)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2008/04/28 13:21 |
| S85 | 28 | ((target same buffer) same (entr\$3 same address\$3) same branch\$3 same (speculat\$6 or predict\$3)) | FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/04/28 13:22 |
| S86 | 13 | (stream with buffer\$3) same (code with region\$1) | US-PGPUB; USPAT | OR | OFF | 2008/04/28 13:22 |

11/13/08 6:27:11 PM

C:\Documents and Settings\ALi\My Documents\EAST\Workspaces\10817263.wsp